INDEX

TO VOLUME 36

SUBJECT INDEX

Abortion
Attitudes and intentions of future health care providers toward abortion provision, Shotorbani S, Zimmerman FJ, Bell JF, Ward D and Assefi N, p. 58.

For second-trimester abortion, women given misoprostol vaginally report the greatest satisfaction, Digest, p. 133.

The last word on abortion and breast cancer? FYI, p. 140.

Barrier Methods
Acceptability of the vaginal diaphragm among current users, Maher JE, Harvey SM, Bird ST, Stevens VJ and Beckman LJ, p. 64.

Barrier to pelvic disease, FYI, p. 181.

Consistent condom use offers protection for those with an infected partner, Digest, p. 173.

Consistent use vs. ever-use of condoms: which measure is more useful? Digest, p. 171.

Covert use of topical microbicides: implications for acceptability and use, Woodsong C, Viewpoint, p. 127.

Long-term use of female condom may hinge partly on depth of instruction, Digest, p. 36.

Relationship type, goals predict the consistency of teenagers' condom use, see **Teenagers**.

The acceptability of the female and male condom: a randomized crossover trial, Kulczycki A, Kim D-J, Duerr A, Jamieson DJ and Macaluso M, p. 114.

The future of the female condom, Hoffman S, Mantell J, Exner T and Stein Z, Viewpoint, p. 120.

Contraception: General
Parents' beliefs about condoms and oral contraceptives: are they medically accurate? Eisenberg ME, Bearinger LH, Sieving RE, Swain C and Resnick MD, p. 50.

Contraceptive Practice
Acceptability of the vaginal diaphragm among current users, see **Barrier Methods**.

Adolescent clinic visits for contraception: support from mothers, male partners and friends, see **Teenagers**.

Ambivalence and pregnancy: the effect of adolescents' attitudes on contraceptive use and pregnancy, see **Teenagers**.

Contraceptive use and consistency in U.S. teenagers' most recent sexual relationships, see **Teenagers**.

Some teenage mothers place high priority on avoiding repeat pregnancy in their early postpartum months, see **Teenagers**.

The acceptability of the female and male condom: a randomized crossover trial, see **Barrier Methods**.

Emergency Contraception
If you sell it, will they come? FYI, p. 48.

Power in relationship and pressure to have sex may affect women's use of emergency contraception, Digest, p. 88.

Teenagers given advance emergency contraception still use pill and condoms, see **Teenagers**.

Evaluation of Programs
A randomized study of a pregnancy and disease prevention intervention for Hispanic couples, Harvey SM, Henderson JT, Thorburn S, Beckman LJ, Casillas A, Mendez L and Cervantes R, p. 162.

Program works; booster doesn't, FYI, p. 96.

The epidemic that wasn't, FYI, p. 181.

Three-year program helps male adolescents establish, maintain sexual limits, Digest, p. 175.

Fertility: Planning and Effects
Measuring factors underlying intendedness of women's first and later pregnancies, see **Pregnancy and Childbearing**.

Odds of single motherhood are increased if a child is valued as a social resource, Digest, p. 39.

"Throwing the dice": pregnancy decision-making among HIV-positive women in four U.S. cities, Kirshenbaum SB, Hirky AE, Correale J, Goldstein RB, Johnson MO, Rotheram-Borus MJ and Ehrhardt AA, p. 106.

Government Policy, Programming and Funding
Illegitimate illegitimacy bonuses? FYI, p. 180.

The availability and use of publicly funded family planning clinics: U.S. trends, 1994–2001, see **Service Providers**.

U.S. insurance coverage of contraceptives and the impact of contraceptive coverage mandates, 2002, Sonfield A, Gold RB, Frost JJ and Darroch JE, p. 72.

Law and Policy
Confidential reproductive health services for minors: the potential impact of mandated parental involvement for contraception, see **Teenagers**.

The HIPAA privacy rule and adolescents: legal questions and clinical challenges, English A and Ford CA, Comment, p. 80.

Males
Characteristics of men receiving vasectomies in the United States, 1998–1999, see **Sterilization**.

Three-year program helps male adolescents establish, maintain sexual limits, see **Evaluation of Programs**.

Use of commercial sex workers among Hispanic migrants in North Carolina: implications for the spread of HIV, see **Sexually Transmitted Diseases**.

Maternal and Child Health
Common-law unions tied to infant death and other negative birth outcomes, Digest, p. 220.

Congenital syphilis declines, FYI, p. 181.

Pregnancy outcomes and infant health suffer when a woman's first two children have different fathers, Digest, p. 39.

Oral Contraceptives
Money-saving pill regimen, FYI, p. 49.

Most women are unlikely to experience premenstrual mood change with pill use, Digest, p. 91.

Pill-stroke link: case not closed, FYI, p. 96.

Venous thromboembolism risk is sharply elevated for users of combined pills, Digest, p. 217.

Population Policy and Research
World population fun facts, FYI, p. 96.

Pregnancy and Childbearing
Catch the wave, prevent miscarriage? FYI, p. 49.

Did the rabbit test die? FYI, p. 97.

Differences between mistimed and unwanted pregnancies among women who have live births, D'Angelo DV, Gilbert BC, Rochat RW, Santelli JS and Herold JM, p. 192.

Fine-tuning cesarean risk, FYI, p. 5.

Folic acid works, FYI, p. 97.

For Finnish women, pregnancy-associated death rate is lower than overall rate, but risks vary by age, Digest, p. 219.

For labor progressing too slowly, immersion in water may be effective alternative to obstetric intervention, Digest, p. 175.

Heavy drinking is more strongly related to fetal growth than is bingeing, Digest, p. 40.

Heavy use of tobacco and caffeine are among factors that may reduce a woman's chance of conceiving, Digest, p. 171.

Maternal mortality risk rises with cesarean birth, falls with prenatal care, Digest, p. 37.

Measuring factors underlying intendedness of women's first and later pregnancies, Speizer IS, Santelli JS, Afable-Munsuz A and Kendall C, p. 198.

Over-the-hill childbearing, FYI, p. 4.

Poor outcome in first pregnancy may predict stillbirth in second one, Digest, p. 133.

Postpartum sexual problems are similar for depressed and nondepressed women, but prevalence differs, Digest, p. 135.

Reports to police of abuse during pregnancy signal risk of adverse outcomes, Digest, p. 38.

Risk of pregnancy-related death is sharply elevated for women 35 and older, Digest, p. 89.

What is normal gestation? FYI, p. 97.

What women need to know, FYI, p. 48.

INDEX

TO VOLUME 36

SUBJECT INDEX

Abortion
Attitudes and intentions of future health care providers toward abortion provision, Shotorbani S, Zimmerman FJ, Bell JF, Ward D and Assefi N, p. 58.

For second-trimester abortion, women given misoprostol vaginally report the greatest satisfaction, Digest, p. 133.

The last word on abortion and breast cancer? FYI, p. 140.

Barrier Methods
Acceptability of the vaginal diaphragm among current users, Maher JE, Harvey SM, Bird ST, Stevens VJ and Beckman LJ, p. 64.

Barrier to pelvic disease, FYI, p. 181.

Consistent condom use offers protection for those with an infected partner, Digest, p. 173.

Consistent use vs. ever-use of condoms: which measure is more useful? Digest, p. 171.

Covert use of topical microbicides: implications for acceptability and use, Woodsong C, Viewpoint, p. 127.

Long-term use of female condom may hinge partly on depth of instruction, Digest, p. 36.

Relationship type, goals predict the consistency of teenagers' condom use, see **Teenagers**.

The acceptability of the female and male condom: a randomized crossover trial, Kulczycki A, Kim D-J, Duerr A, Jamieson DJ and Macaluso M, p. 114.

The future of the female condom, Hoffman S, Mantell J, Exner T and Stein Z, Viewpoint, p. 120.

Contraception: General
Parents' beliefs about condoms and oral contraceptives: are they medically accurate? Eisenberg ME, Bearinger LH, Sieving RE, Swain C and Resnick MD, p. 50.

Contraceptive Practice
Acceptability of the vaginal diaphragm among current users, see **Barrier Methods**.

Adolescent clinic visits for contraception: support from mothers, male partners and friends, see **Teenagers**.

Ambivalence and pregnancy: the effect of adolescents' attitudes on contraceptive use and pregnancy, see **Teenagers**.

Contraceptive use and consistency in U.S. teenagers' most recent sexual relationships, see **Teenagers**.

Some teenage mothers place high priority on avoiding repeat pregnancy in their early postpartum months, see **Teenagers**.

The acceptability of the female and male condom: a randomized crossover trial, see **Barrier Methods**.

Emergency Contraception
If you sell it, will they come? FYI, p. 48.

Power in relationship and pressure to have sex may affect women's use of emergency contraception, Digest, p. 88.

Teenagers given advance emergency contraception still use pill and condoms, see **Teenagers**.

Evaluation of Programs
A randomized study of a pregnancy and disease prevention intervention for Hispanic couples, Harvey SM, Henderson JT, Thorburn S, Beckman LJ, Casillas A, Mendez L and Cervantes R, p. 162.

Program works; booster doesn't, FYI, p. 96.

The epidemic that wasn't, FYI, p. 181.

Three-year program helps male adolescents establish, maintain sexual limits, Digest, p. 175.

Fertility: Planning and Effects
Measuring factors underlying intendedness of women's first and later pregnancies, see **Pregnancy and Childbearing**.

Odds of single motherhood are increased if a child is valued as a social resource, Digest, p. 39.

"Throwing the dice": pregnancy decision-making among HIV-positive women in four U.S. cities, Kirshenbaum SB, Hirky AE, Correale J, Goldstein RB, Johnson MO, Rotheram-Borus MJ and Ehrhardt AA, p. 106.

Government Policy, Programming and Funding
Illegitimate illegitimacy bonuses? FYI, p. 180.

The availability and use of publicly funded family planning clinics: U.S. trends, 1994–2001, see **Service Providers**.

U.S. insurance coverage of contraceptives and the impact of contraceptive coverage mandates, 2002, Sonfield A, Gold RB, Frost JJ and Darroch JE, p. 72.

Law and Policy
Confidential reproductive health services for minors: the potential impact of mandated parental involvement for contraception, see **Teenagers**.

The HIPAA privacy rule and adolescents: legal questions and clinical challenges, English A and Ford CA, Comment, p. 80.

Males
Characteristics of men receiving vasectomies in the United States, 1998–1999, see **Sterilization**.

Three-year program helps male adolescents establish, maintain sexual limits, see **Evaluation of Programs**.

Use of commercial sex workers among Hispanic migrants in North Carolina: implications for the spread of HIV, see **Sexually Transmitted Diseases**.

Maternal and Child Health
Common-law unions tied to infant death and other negative birth outcomes, Digest, p. 220.

Congenital syphilis declines, FYI, p. 181.

Pregnancy outcomes and infant health suffer when a woman's first two children have different fathers, Digest, p. 39.

Oral Contraceptives
Money-saving pill regimen, FYI, p. 49.

Most women are unlikely to experience premenstrual mood change with pill use, Digest, p. 91.

Pill-stroke link: case not closed, FYI, p. 96.

Venous thromboembolism risk is sharply elevated for users of combined pills, Digest, p. 217.

Population Policy and Research
World population fun facts, FYI, p. 96.

Pregnancy and Childbearing
Catch the wave, prevent miscarriage? FYI, p. 49.

Did the rabbit test die? FYI, p. 97.

Differences between mistimed and unwanted pregnancies among women who have live births, D'Angelo DV, Gilbert BC, Rochat RW, Santelli JS and Herold JM, p. 192.

Fine-tuning cesarean risk, FYI, p. 5.

Folic acid works, FYI, p. 97.

For Finnish women, pregnancy-associated death rate is lower than overall rate, but risks vary by age, Digest, p. 219.

For labor progressing too slowly, immersion in water may be effective alternative to obstetric intervention, Digest, p. 175.

Heavy drinking is more strongly related to fetal growth than is bingeing, Digest, p. 40.

Heavy use of tobacco and caffeine are among factors that may reduce a woman's chance of conceiving, Digest, p. 171.

Maternal mortality risk rises with cesarean birth, falls with prenatal care, Digest, p. 37.

Measuring factors underlying intendedness of women's first and later pregnancies, Speizer IS, Santelli JS, Afable-Munsuz A and Kendall C, p. 198.

Over-the-hill childbearing, FYI, p. 4.

Poor outcome in first pregnancy may predict stillbirth in second one, Digest, p. 133.

Postpartum sexual problems are similar for depressed and nondepressed women, but prevalence differs, Digest, p. 135.

Reports to police of abuse during pregnancy signal risk of adverse outcomes, Digest, p. 38.

Risk of pregnancy-related death is sharply elevated for women 35 and older, Digest, p. 89.

What is normal gestation? FYI, p. 97.

What women need to know, FYI, p. 48.

Women with HIV have changing odds of antiretroviral and substance abuse treatment around time of a birth, Digest, p. 35.

Reproductive Health

Can you hear my sperm now? FYI, p. 141.

Current hormone therapy use linked to 30–100% rise in risk of breast cancer, Digest, p. 41.

Reports to police of abuse during pregnancy signal risk of adverse outcomes, see **Pregnancy and Childbearing**.

Sexual inexperience does not preclude some risk of bacterial vaginosis, Digest, p. 91.

Smoking is hazardous to..., FYI, p. 49.

Source and perceived quality of information are linked to users' odds of discontinuing hormone therapy, Digest, p. 87.

Take seven aspirin..., FYI, p. 180.

There's no there there, FYI, p. 140.

Service Providers

Attitudes and intentions of future health care providers toward abortion provision, see **Abortion**.

Family planning clinic visits present opportunities for providers to screen for mental health problems, Digest, p. 90.

Practitioners' perspectives on effective practices for Hispanic teenage pregnancy prevention, see **Teenagers**.

The availability and use of publicly funded family planning clinics: U.S. trends, 1994–2001, Frost JJ, Frohwirth L and Purcell A, p. 206.

Sex Education

Sex education utopia? FYI, p. 141.

Sitcom as sex educator? FYI, p. 4.

Sexual Behavior

For teenage women, having had multiple recent partners is linked to a cluster of negative behaviors, see **Teenagers**.

Norms that encourage young adolescents not to have sex tied to reduced odds of becoming sexually active, see **Teenagers**.

Postpartum sexual problems are similar for depressed and nondepressed women, but prevalence differs, see **Pregnancy and Childbearing**.

Sexual victimization among a national probability sample of adolescent women, see **Teenagers**.

Teenage pregnancy and associated risk behaviors among sexually abused adolescents, see **Teenagers**.

Teenagers who abstain from sex cite similar reasons regardless of whether they have ever had intercourse, see **Teenagers**.

Sexually Transmitted Diseases

Consistent condom use offers protection for those with an infected partner, see **Barrier Methods**.

Covert use of topical microbicides: implications for acceptability and use, see **Barrier Methods**.

Disease risk is increased for those with wrong ideas about partner's behavior, Digest, p. 217.

Get down with HIV education, FYI, p. 180.

HAART: no help for the head, FYI, p. 180.

Implications of racial and gender differences in patterns of adolescent risk behavior for HIV and other sexually transmitted diseases, see **Teenagers**.

Infrequency of sexually transmitted disease screening among sexually experienced U.S. female adolescents, see **Teenagers**.

It's too darn bright, FYI, p. 97.

Men, women and HIV, FYI, p. 49.

Minority women can benefit from ethnically tailored programs to reduce sexually transmitted disease risk, Digest, p. 216.

One less treatment option, FYI, p. 141.

Partner services help detect HIV, FYI, p. 5.

Perceived risk of chlamydial and gonococcal infection among sexually experienced young adults in the United States, see **Teenagers**.

Rapid and available, FYI, p. 141.

Recent childbirth or acquisition of new partner boosts sexually transmitted disease risk in female teenagers, see **Teenagers**.

Safer sex under the stars, FYI, p. 181.

Sexually transmitted diseases among American youth: incidence and prevalence estimates, 2000, Weinstock H, Berman S and Cates W, Jr., p. 6.

Social and behavioral determinants of self-reported STD among adolescents, see **Teenagers**.

Subgroups of homeless in San Francisco have different HIV risk factors, Digest, p. 218.

Testing, testing... FYI, p. 4.

The estimated medical cost of sexually transmitted diseases among American youth, 2000, Chesson HW, Blandford JM, Gift TL, Tao G and Irwin KL, p. 11.

The STDs nobody knows, FYI, p. 97.

"Throwing the dice": pregnancy decision-making among HIV-positive women in four US cities, see **Fertility: Planning and Effects**.

Two birds with one stone, FYI, p. 5.

Use of commercial sex workers among Hispanic migrants in North Carolina: implications for the spread of HIV, Parrado EA, Flippen CA and McQuiston C, p. 150.

Women with HIV have changing odds of antiretroviral and substance abuse treatment around time of a birth, see **Pregnancy and Childbearing**.

Sterilization

Characteristics of men receiving vasectomies in the United States, 1998–1999, Barone MA, Johnson CH, Luick MA, Teutonico DL and Magnani RJ, p. 27.

Teenagers

A comparison of Hispanic and white adolescent females' use of family planning services in California, Solorio MR, Yu H, Brown ER, Becerra L and Gelberg L, p. 157.

Adolescent clinic visits for contraception: support from mothers, male partners and friends, Harper C, Callegari L, Raine T, Blum M and Darney P, p. 20.

Ambivalence and pregnancy: the effect of adolescents' attitudes on contraceptive use and pregnancy, Brückner H, Martin A and Bearman P, p. 248.

California Adolescents' Use of Family Planning Services, Constantine NA and Moskowitz JM, Letter, p. 288.

Changes in teenagers' sexual behavior stall, FYI, p. 141.

Cockeyed optimists, FYI, p. 5.

Confidential reproductive health services for minors: the potential impact of mandated parental involvement for contraception, Jones RK and Boonstra H, p. 182.

Contraceptive use and consistency in U.S. teenagers' most recent sexual relationships, Manlove J, Ryan S and Franzetta K, p. 265.

Dating and drinking, FYI, p. 181.

Does true love wait? FYI, p. 96.

For teenage women, having had multiple recent partners is linked to a cluster of negative behaviors, Digest, p. 136.

Good habits start early, FYI, p. 140.

Implications of racial and gender differences in patterns of adolescent risk behavior for HIV and other sexually transmitted diseases, Halpern CT, Hallfors D, Bauer DJ, Iritani B, Waller MW and Cho H, p. 239.

Infrequency of sexually transmitted disease screening among sexually experienced U.S. female adolescents, Fiscus LC, Ford CA and Miller WC, p. 233.

Minnesota students just say no to abstinence, FYI, p. 48.

Norms that encourage young adolescents not to have sex tied to reduced odds of becoming sexually active, Digest, p. 170.

Parents' beliefs about condoms and oral contraceptives: are they medically accurate? see **Contraception: General**.

Perceived risk of chlamydial and gonococcal infection among sexually experienced young adults in the United States, Ford CA, Jaccard J, Millstein SG, Bardsley PE and Miller WC, p. 258.

Practitioners' perspectives on effective practices for Hispanic teenage pregnancy prevention, Russell ST, Lee FCH and the Latina/o Teen Pregnancy Prevention Workgroup, p. 142.

Recent childbirth or acquisition of new partner boosts sexually transmitted disease risk in female teenagers, Digest, p. 132.

Relationship type, goals predict the consistency of

teenagers' condom use, Digest, p. 37.

Schools and prenatal care, FYI, p. 140.

Sexual victimization among a national probability sample of adolescent women, Raghavan R, Bogart LM, Elliott MN, Vestal KD and Schuster MA, p. 225.

Sexually transmitted diseases among American youth: incidence and prevalence estimates, 2000, see **Sexually Transmitted Diseases**.

Social and behavioral determinants of self-reported STD among adolescents, Upchurch DM, Mason WM, Kusunoki Y and Kriechbaum MJ, p. 276.

Some teenage mothers place high priority on avoiding repeat pregnancy in their early postpartum months, Digest, p. 34.

Teenage pregnancy and associated risk behaviors among sexually abused adolescents, Saewyc EM, Magee LM and Pettingell SE, p. 98.

Teenage pregnancy risk rises with childhood exposure to family strife, Digest, p. 88.

Teenagers given advance emergency contraception still use pill and condoms, Digest, p. 134.

Teenagers who abstain from sex cite similar reasons regardless of whether they have ever had intercourse, Digest, p. 174.

Teenagers who think sex is important may wait less time with new partners, Digest, p. 172.

The estimated medical cost of sexually transmitted diseases among American youth, 2000, see **Sexually Transmitted Diseases**.

The HIPAA privacy rule and adolescents: legal questions and clinical challenges, see **Law and Policy**.

The more things change... FYI, p. 4.

When is a test a red flag? FYI, p. 48.

AUTHOR INDEX

Afable-Munsuz A, see Speizer IS.

Assefi N, see Shotorbani S.

Bardsley PE, see Ford CA.

Barone MA, Johnson CH, Luick MA, Teutonico DL and Magnani RJ, Characteristics of men receiving vasectomies in the United States, 1998–1999, p. 27.

Bauer DJ, see Halpern CT.

Bearinger LH, see Eisenberg ME.

Bearman P, see Brückner H.

Becerra L, see Solorio MR.

Beckman LJ, see Harvey SM; Maher JE.

Bell JF, see Shotorbani S.

Berman S, see Weinstock H.

Bird ST, see Maher JE.

Blandford JM, see Chesson HW.

Blum M, see Harper C.

Bogart LM, see Raghavan R.

Boonstra H, see Jones RK.

Brown ER, see Solorio MR.

Brückner H, Martin A and Bearman P, Ambivalence and pregnancy: the effect of adolescents' attitudes on contraceptive use and pregnancy, p. 248.

Callegari L, see Harper C.

Casillas A, see Harvey SM.

Cates W, Jr., see Weinstock H.

Cervantes R, see Harvey SM.

Chesson HW, Blandford JM, Gift TL, Tao G and Irwin KL, The estimated direct medical cost of sexually transmitted diseases among American youth, 2000, p. 11.

Cho H, see Halpern CT.

Constantine NA and Moskowitz JM, California Teenagers' Use of Family Planning Services, Letter, p. 288.

Correale J, see Kirshenbaum SB.

D'Angelo DV, Gilbert BC, Rochat RW, Santelli JS and Herold JM, Differences between mistimed and unwanted pregnancies among women who have live births, p. 192.

Darney P, see Harper C.

Darroch JE, see Sonfield A.

Duerr A, see Kulczycki A.

Ehrhardt AA, see Kirshenbaum SB.

Eisenberg ME, Bearinger LH, Sieving RE, Swain C and Resnick MD, Parents' beliefs about condoms and oral contraceptives: are they medically accurate? p. 50.

Elliott MN, see Raghavan R.

English A and Ford CA, The HIPAA privacy rule and adolescents: legal questions and clinical challenges, Comment, p. 80.

Exner T, see Hoffman S.

Fiscus LC, Ford CA and Miller WC, Infrequency of sexually transmitted disease screening among sexually experienced U.S. female adolescents, p. 233.

Flippen CA, see Parrado EA.

Ford CA, Jaccard J, Millstein SG, Bardsley PE and Miller WC, Perceived risk of chlamydial and gonococcal infection among sexually experienced young adults in the United States, p. 258.

Ford CA, see English A; Fiscus LC.

Franzetta K, see Manlove J.

Frohwirth L, see Frost JJ.

Frost JJ, Frohwirth L and Purcell A, The availability and use of publicly funded family planning clinics: U.S. trends, 1994–2001, p. 206.

Frost JJ, see Sonfield A.

Gelberg L, see Solorio MR.

Gift TL, see Chesson HW.

Gilbert BC, see D'Angelo DV.

Gold RB, see Sonfield A.

Goldstein RB, see Kirshenbaum SB.

Hallfors D, se Halpern CT.

Halpern CT, Hallfors D, Bauer DJ, Iritani B, Waller MW and Cho H, Implications of racial and gender differences in patterns of adolescent risk behavior for HIV and other sexually transmitted diseases, p. 239.

Harper C, Callegari L, Raine T, Blum M and Darney P, Adolescent clinic visits for contraception: support from mothers, male partners and friends, p. 20.

Harvey SM, Henderson JT, Thorburn S, Beckman LJ, Casillas A, Mendez L and Cervantes R, A randomized study of a pregnancy and disease prevention intervention for Hispanic couples, p. 162.

Harvey SM, see Maher JE.

Henderson JT, see Harvey SM.

Herold JM, see D'Angelo DV.

Hirky AE, see Kirshenbaum SB.

Hoffman S, Mantell J, Exner T and Stein Z, The future of the female condom, Viewpoint, p. 120.

Iritani B, see Halpern CT.

Irwin KL, see Chesson HW.

Jaccard J, see Ford CA.

Jamieson DJ, see Kulczycki A.

Johnson CH, see Barone MA.

Johnson MO, see Kirshenbaum SB.

Jones RK and Boonstra H, Confidential reproductive health services for minors: the potential impact of mandated parental involvement for contraception, p. 182.

Kendall C, see Speizer IS.

Kim D-J, see Kulczycki A.

Kirshenbaum SB, Hirky AE, Correale J, Goldstein RB, Johnson MO, Rotheram-Borus MJ and Ehrhardt AA, "Throwing the dice": pregnancy decision-making among HIV-positive women in four US cities, p. 106.

Kriechbaum MJ, see Upchurch DM.

Kulczycki A, Kim D-J, Duerr A, Jamieson DJ and Macaluso M, The acceptability of the female and male condom: a randomized crossover trial, p. 114.

Kusunoki Y, see Upchurch DM.

Latina/o Teen Pregnancy Prevention Workgroup, see Russell ST.

Lee FCH, see Russell ST.

Luick MA, see Barone MA.

Macaluso M, see Kulczycki A.

Magee LL, see Saewyc EM.

Magnani RJ, see Barone MA.

Maher JE, Harvey SM, Bird ST, Stevens VJ and Beckman LJ, Acceptability of the vaginal diaphragm among current users, p. 64.

Manlove J, Ryan S and Franzetta K, Contraceptive use and consistency in U.S. teenagers' most recent sexual relationships, p. 265.

Mantell J, see Hoffman S.

Martin A, see Brückner H.

Mason WM, see Upchurch DM.

McQuiston C, see Parrado EA.

Mendez L, see Harvey SM.

Miller WC, see Fiscus LC; Ford CA.

Millstein SG, see Ford CA.

Moskowitz JM, see Constantine NA.

Parrado EA, Flippen CA and McQuiston C, Use of commercial sex workers among Hispanic migrants in North Carolina: implications for the spread of HIV, p. 150.

Pettingell SE, see Saewyc EM.

Purcell A, see Frost JJ.

Raghavan R, Bogart LM, Elliott MN, Vestal KD and Schuster MA, Sexual victimization among a national probability sample of adolescent women, p. 225.

Raine T, see Harper C.

Resnick MD, see Eisenberg ME.

Rochat RW, see D'Angelo DV.

Rotheram-Borus MJ, see Kirshenbaum SB.

Russell ST, Lee FCH and the Latina/o Teen Pregnancy Prevention Workgroup, Practitioners' perspectives on effective practices for Hispanic teenage pregnancy prevention, p. 142.

Ryan S, see Manlove J.

Saewyc EM, Magee LL and Pettingell SE, Teenage pregnancy and associated risk behaviors among sexually abused adolescents, p. 98.

Santelli JS, see D'Angelo DV; Speizer IS.

Schuster MA, see Raghavan R.

Shotorbani S, Zimmerman FJ, Bell JF, Ward D and Assefi N, Attitudes and intentions of future health care providers toward abortion provision, p. 58.

Sieving RE, see Eisenberg ME.

Solorio MR, Yu H, Brown ER, Becerra L and Gelberg L, A comparison of Hispanic and white adolescent females' use of family planning services in California, p. 157.

Sonfield A, Gold RB Frost JJ and Darroch JE, U.S. insurance coverage of contraceptives and the impact of contraceptive coverage mandates, 2002, p. 72.

Speizer IS, Santelli JS, Afable-Munsuz A and Kendall C, Measuring factors underlying intendedness of women's first and later pregnancies, p. 198.

Stein Z, see Hoffman S.

Stevens VJ, see Maher JE.

Swain C, see Eisenberg ME.

Tao G, see Chesson HW.

Teutonico DL, see Barone MA.

Thorburn S, see Harvey SM.

Upchurch DM, Mason WM, Kusunoki Y and Kriechbaum MJ, Social and behavioral determinants of self-reported STD among adolescents, p. 276.

Vestal KD, see Raghavan R.

Waller MW, see Halpern CT.

Ward D, see Shotorbani S.

Weinstock H, Berman S and Cates W, Jr., Sexually transmitted diseases among American youth: incidence and prevalence estimates, 2000, p. 6.

Woodsong C, Covert use of topical microbicides: implications for acceptability and use, Viewpoint, p. 127.

Yu H, see Solorio MR.

Zimmerman FJ, see Shotorbani S.